

## Safety Data Sheet

# Expandable Graphite

### 1. Identification

|   |   |
|---|---|
| <b>Product identifier</b>                                     | BariteWorld.com / Division Of Rockleigh Industries Inc.   |
| <b>Recommended use</b>  | Fire retardant material.  |
| <b>Recommended restrictions</b>                               | Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations. |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |   |
| <b>Manufacturer/Supplier</b>                                  | BariteWorld.com / Division Of Rockleigh Industries Inc.<br>8 Rockleigh rd, Rockleigh, New Jersey 07647 USA  |
| <b>Contact person</b>   | Product Responsibility Manager +1 917-825-3806  |
| <b>E-mail</b>   | bariteworld@optonline.net   |
| <b>Emergency telephone number</b>                             | For Chemical Emergency ONLY: +1 201-750-8671  |

### 2. Hazards Identification

|                             |                 |             |
|-----------------------------|-----------------|-------------|
| <b>Physical hazards</b>     | Not classified. |             |
| <b>Health hazards</b>       | Carcinogenicity | Category 1A |
| <b>OSHA defined hazards</b> | Not classified. |             |



|                                |  |
|--------------------------------|--|
| <b>Label elements</b>          |  |
| <b>Signal word</b>             | Danger   |
| <b>Hazard statement</b>        | May cause cancer.  |
| <b>Precautionary statement</b> |  |
| <b>Prevention</b>              | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. |
| <b>Response</b>                | If exposed or concerned Get medical advice/attention.  |
| <b>Storage</b>                 | Store locked up.   |

# BARITWORLD

INDUSTRIAL MINERALS & CHEMICALS

Any application - Any industry - Any quantity

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental Information** None.

### 3. Composition/Information on Ingredients

| Common Name           | Chemical Name                             | CAS No     | Wt.% |
|-----------------------|---|------------|------|
| Acid Treated Graphite | Hydrogen sulphate, compound with graphite | 12777-87-6 | ≥86  |
| Quartz                | Silicon Dioxide                           | 14808-60-7 | <7   |

### 4. First-Aid Measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

**Most important symptoms/effects, acute and delayed** Dusts may irritate the respiratory tract, skin and eyes.

**Indication of immediate special treatment needed** Provide general supportive measures and treat symptomatically. Keep victim under medical attention and observation. Symptoms may be delayed.

**General information** IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-Fighting Measures

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

# BARITEWORLD

INDUSTRIAL MINERALS & CHEMICALS

Any application - Any industry - Any quantity

---

|   |  |
|---|--|
| <b>Fire fighting equipment/instructions</b> | Use water spray to cool unopened containers.   |
| <b>Specific methods</b>                     | Use standard firefighting procedures and consider the hazards of other involved materials. |
| <b>General fire hazards</b>                 | No unusual fire or explosion hazards noted.  |

## 6. Accidental Release Measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.   |
| <b>Methods and materials for containment and cleaning up</b>               | Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.<br>Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.<br>Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.   |

## 7. Handling and Storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).   |

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### U.S. - OSHA

| Components                             | Type | Value               | Form                 |
|--|------|---------------------|----------------------|
| Sulphuric acid, compound with graphite | PEL  | 5 mg/m <sup>3</sup> | Respirable fraction. |

# BARITEWORLD

INDUSTRIAL MINERALS & CHEMICALS

Any application - Any industry - Any quantity

|                  |  |  |  |
|------------------|--|--|--|
| (CAS 12777-87-6) |  |  |  |
|------------------|--|--|--|

## US. OSHA Table Z-3 (29 CFR 1910.1000)

| Components              | Type | Value   | Form                                      |
|-------------------------|------|---|---|
| Quartz (CAS 14808-60-7) | TWA  | 0.3 mg/m <sup>3</sup><br>0.1 mg/m <sup>3</sup><br>2.4 mppcf | Total dust.<br>Respirable.<br>Respirable. |

## ACGIH

| Components   | Type | Value                                       | Form  |
|--|------|---|---|
| Sulphuric acid, compound with graphite<br>(CAS 12777-87-6) | TWA  | 3 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup> | Respirable particles.<br>Inhalable particles. |

## US. ACGIH Threshold Limit Values

| Components              | Type | Value                   | Form                 |
|-------------------------|------|-------------------------|----------------------|
| Quartz (CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable fraction. |

## US. NIOSH: Pocket Guide to Chemical Hazards

| Components              | Type | Value                  | Form             |
|-------------------------|------|------------------------|------------------|
| Quartz (CAS 14808-60-7) | TWA  | 0.05 mg/m <sup>3</sup> | Respirable dust. |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

**Appropriate Engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.

**Skin protection**

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

**Skin protection**

**Other** Use of an impervious apron is recommended.

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at

# BARITWORLD

INDUSTRIAL MINERALS & CHEMICALS

Any application - Any industry - Any quantity

levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## **9. Physical and Chemical Properties**

|   |   |
|---|---|
| <b>Appearance</b>                                   | Black solid.                            |
| <b>Physical state</b>                               | Solid.                                  |
| <b>Form</b>   | Solid (flake).                          |
| <b>Color</b>  | Black.                                  |
| <b>Odor</b>   | Slight acidic.                          |
| <b>Odor threshold</b>                               | Not available.                          |
| <b>pH</b>   | Not applicable.                         |
| <b>Melting point/freezing point</b>                 | > 5000 °F (> 2760 °C) / Not applicable. |
| <b>Initial boiling point and boiling range</b>      | Not applicable.                         |
| <b>Flash point</b>                                  | Not applicable.                         |
| <b>Evaporation rate</b>                             | Not applicable.                         |
| <b>Flammability (solid, gas)</b>                    | Not available.                          |
| <b>Upper/lower flammability or explosive limits</b> |   |
| <b>Flammability limit - lower (%)</b>               | Not applicable.                         |
| <b>Flammability limit - upper (%)</b>               | Not applicable.                         |
| <b>Explosive limit - lower (%)</b>                  | Not available.                          |
| <b>Explosive limit - upper (%)</b>                  | Not available.                          |
| <b>Vapor pressure</b>                               | Not applicable.                         |
| <b>Vapor density</b>                                | Not applicable.                         |
| <b>Relative density</b>                             | No data available.                      |
| <b>Solubility(ies)</b>                              |   |
| <b>Solubility (water)</b>                           | Insoluble in water.                     |
| <b>Partition coefficient</b>                        | Not available.                          |

# BARITEWORLD

INDUSTRIAL MINERALS & CHEMICALS  
Any application - Any industry - Any quantity

---

## (n-octanol/water)

|                                  |                 |
|----------------------------------|-----------------|
| <b>Auto-ignition temperature</b> | Not applicable. |
| <b>Decomposition temperature</b> | Not applicable. |
| <b>Viscosity</b>                 | Not available.  |
| <b>Other information</b>         |                 |
| <b>Bulk density</b>              | 0.4 - 1 g/cc    |
| <b>Explosive properties</b>      | Not explosive.  |
| <b>Oxidizing properties</b>      | Not oxidizing.  |

## 10. Stability and Reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>Conditions to avoid</b>                | Contact with incompatible materials.  |
| <b>Incompatible materials</b>             | Powerful oxidizers. Chlorine.   |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.  |

## 11. Toxicological Information

### Information on likely routes of exposure

|   |  |
|---|--|
| <b>Inhalation</b>   | Dust may irritate respiratory system. Prolonged inhalation may be harmful. |
| <b>Skin contact</b>   | Dust or powder may irritate the skin.                                      |
| <b>Eye contact</b>  | Dust may irritate the eyes.  |
| <b>Ingestion</b>  | Expected to be a low ingestion hazard.                                     |
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | Dusts may irritate the respiratory tract, skin and eyes.                   |

### Information on toxicological effects

|  |  |
|--|--|
| <b>Acute toxicity</b>                    | Not available.   |
| <b>Skin corrosion/irritation</b>         | Prolonged skin contact may cause temporary irritation.   |
| <b>Serious eye damage/eye irritation</b> | Direct contact with eyes may cause temporary irritation. |
| <b>Respiratory or skin sensitization</b> |  |

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

#### **IARC Monographs. Overall Evaluation of Carcinogenicity**

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

#### **NTP Report on Carcinogens**

Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

#### **OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

#### **Specific target organ toxicity - repeated exposure**

Not classified.

#### **Aspiration hazard**

Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

## **12. Ecological information**

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging

# BARITEWORLD

INDUSTRIAL MINERALS & CHEMICALS  
Any application - Any industry - Any quantity

---

|                                      |   |
|--------------------------------------|---|
|                                      | effect on the environment.  |
| <b>Persistence and degradability</b> | No data is available on the degradability of this product.  |
| <b>Bioaccumulative potential</b>     | No data available.  |
| <b>Mobility in soil</b>              | The product is insoluble in water.  |
| <b>Other adverse effects</b>         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

## 13. Disposal considerations

|  |  |
|--|--|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.                         |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.   |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |
| <b>Waste from residues / Unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.       |

## 14. Transport information

### **DOT**

Not regulated as dangerous goods.

### **IATA**

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78** Not applicable.

**And the IBC Code**

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication



# BARITEWORLD

INDUSTRIAL MINERALS & CHEMICALS  
Any application - Any industry - Any quantity

---

Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**            Immediate Hazard - No  
   Delayed Hazard - Yes  
   Fire Hazard - No  
   Pressure Hazard - No  
   Reactivity Hazard – No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous Yes**

**chemical**

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act** Not regulated.

**(SDWA)**

**US state regulations**

**US. Massachusetts RTK - Substance List**

Quartz (CAS 14808-60-7)

**US. New Jersey Worker and Community Right-to-Know Act**

Quartz (CAS 14808-60-7)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Quartz (CAS 14808-60-7)

**US. Rhode Island RTK**

Not regulated.

**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance**

Quartz (CAS 14808-60-7)

**International Inventories**

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|----------------|------------------------|
|----------------------|----------------|------------------------|

# BARITEWORLD

INDUSTRIAL MINERALS & CHEMICALS  
Any application - Any industry - Any quantity

|                             |  |     |
|-----------------------------|--|-----|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | No  |
| Canada                      | Domestic Substances List (DSL)   | No  |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | Yes |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | No  |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | Yes |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No  |
| Korea                       | Existing Chemicals List (ECL)  | Yes |
| New Zealand                 | New Zealand Inventory  | Yes |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No  |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes |

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## **16. Other information, including date of preparation or last revision**

**Issue date** 3-May-2017

**Revision date** -

**Version #** 01



**NFPA ratings**

**Disclaimer**

BariteWorld.com / Division Of Rockleigh Industries Inc. ADVISES THE USERS OF THIS PRODUCT TO STUDY THIS SAFETY DATA SHEET (SDS) AND BECOME AWARE OF PRODUCT HAZARDS AND SAFETY INFORMATION. TO PROMOTE SAFE USE OF THIS PRODUCT, USERS SHOULD NOTIFY THEIR EMPLOYEES, AGENTS AND CONTRACTORS OF THE INFORMATION ON THIS SDS AND ANY PRODUCT HAZARDS AND SAFETY INFORMATION.

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.